

Intuition Ultraloc® MB

| | |
|------------------------|--|
| Nom De Style | Rouleaux |
| Collection | Building Character |
| Numéro De Style | 60777 |
| Construction | Motif à Plusieurs Niveaux/Boucle De Coupe |
| Fibre | Ecosolution Q® Nylon |
| Méthode De Teinture | 100% Teint EN Solution |
| Endos Primaire | Synthétique |
| Endos Secondaire | Ultraloc® MB |
| Traitements Protecteur | Protection Des Sols SSP® Shaw |
| Adhésif Recommandé | H1000, H1200 or H3800 |

| | | |
|----------------------------------|----------------------|----------------------------|
| | u.s. | metric |
| Dimensions Du Produit | 12 ft | 3.66 m |
| Jauge | 1/12 in | 47.2 per 10 cm |
| Compte De Mailles | 10.0 per in | 39.0 per 10 cm |
| Densité | 6158 oz/yd³ | 0.228 g/cm³ |
| Kilotex | | 12.66 |
| Poids De La Fibre Touffetée | 0.306 in | 7.77 mm |
| Poids De La Fibre Touffetée | 26 oz/yd² | 881.5 g/m² |
| Répéter Le Schéma d'Installation | 36 in x 40 in | 91.44 cm x 101.6 cm |



Méthodes d'Installation Conseillées

Direct Glue, Double Glue, Stretch-In

Spécifications Du Rendement + Tests Et Essai

| | |
|--------------------------------------|--|
| Inflamabilité | Pass |
| Essai Au Panneau Radiant (Astm E648) | Class I |
| Densité Du Fumée | Less Than 450 |
| Statique | Less Than 3.5 kv |
| Label Cri Green Label Plus (Glp) | GLP2271 |
| Ada Conformité | ≥0.6, conforme au coefficient de frottement statique pour les surfaces de passage et d'accessibilité simplifiée (ADA).*** |

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Garanties

Commerciale Limitée

Coordination Des Produits

Broadloom: **Sophistication Ultraloc® MB, Quest Ultraloc® MB**

Attributs + Certifications

Health & Wellbeing

Material Ingredient Transparency

Indoor Air Quality

Cradle to Cradle Certified® | Niveau Argent (Version 3.1)
NSF 140 | or
CRI Green Label Plus (GLP) | GLP2271

Climate Impact

Environmental Product Declaration (EPD)

Total Recycled Content

Product Packaging

Certifié Par Une Tierce Partie Conformément Aux Normes ISO 14044, ISO 14025 Et EN 15804
<1% (Pre-Consumer <1% | Post-Consumer 0%)
100% Recyclable

Global Product Assessment


CE Marking (EN 14041) | Certifié Par Un Tiers
Environmental Guarantee* | Re[turn] Reclamation Program* | Pickup & Delivery Available
Country of Origin | Imported**

Contribution Au Certificat Vert Leed


« Crédit MR : Divulgation et optimisation des produits de construction
« Crédit MR : Divulgation et optimisation des produits de construction
« Crédit MR : Divulgation et optimisation des produits de construction
Crédit EQ : matériaux faibles émissions

3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804
C2C Silver Level (Version 3.1)
C2C Silver Level (Version 3.1)
Green Label Plus Certification: GLP2271


Available Colorways




Humble Beginnin 77155
LRV 14.4




Enriched Wisdom 77330
LRV 8.8




First Impressio 77402
LRV 9.2




Self Reflection 77484
LRV 10.1




Major Milestone 77515
LRV 15.7




Refined Eleganc 77585
LRV 14.7



Adventurous Spi 77665
LRV 12.2



Express Gratitu 77740
LRV 13.9



Warm Intentions 77761
LRV 18.6

Informations Supplémentaires

* To learn more about the recyclability of our products and our Environmental Guarantee, please visit shawcontract.com/sustainability.

**Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent)

***This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

[Installation Guidelines](#)

[Maintenance Guidelines](#)

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit shawcontract.com/testing for more information.



PVC-Free

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +1 800 556 302