

# HARDWOOD

**VERA MAR ACACIA**  
Engineered



1140 Natural Short Leaf Acacia

	US Units	Metric Units
Style Number	SW757	
Construction	Engineered	
Species	Acacia	
Nominal Overall Thickness	3/8"	9.5 mm
Nominal Width	5"	127 mm
Maximum Length	Random lengths up to 47.23"	Random lengths up to 119.96 cm
Finish	UV Aluminum Oxide	
Gloss Level	7%	
Surface Texture	Smooth	
Edge Description	Micro Bevel	
End Description	Mb	
Profile	Tongue And Groove	
Weight per Carton	63.93 lbs	28.99 kg
SQFT per Carton	49.21 sq ft	4.57 sq m
SQFT per Pallet	1771.56 sq ft	164.58 sq m
Installation Methods	Nail, Staple, Glue, Floating	
Installation Grade	Above, On, Below	
Variation	High	
GREENGUARD® Certified	Yes	
Radiant Heat Approved	Yes	
Residential Warranty	50 Years	
Installation	<a href="#">Engineered Hardwood Flooring Installation Guidelines</a>	
Maintenance	<a href="#">Hardwood Maintenance Guidelines</a>	
All measurements are nominal.	Cartons may include random lengths.	

## Features

Celebrated for its captivating rich tones and mesmerizing and pleasantly unpredictable grain patterns, the acacia wood from which Vera Mar is made conveys a sense of elegance and natural beauty that adds a sense of visual depth and texture to the flooring.

## Suggested Adhesive

Style Name	Style Number
35MC	HS105


**Trim Pieces** length: 78" (\*Overlap Reducer and Overlap Stairnose are designed for floating installations only. These items are non-stocking - but are available through a quick-ship program. Delivery should take approximately 2 to 3 weeks.)



**113FR**  
Flush Reducer



**113OR**  
\*Overlap Reducer



**113FS**  
Flush Stairnose



**113OS**  
\*Overlap Stairnose



**113TH**  
Threshold / Carpet  
Reducer



**113TM**  
T-Molding




**113QR**  
Quarter Round

Trim images are for illustration purposes only. Actual dimensions will vary. Contact the Shaw Information Center for additional details: 800-441-7429.

---

## Colors



1140 Natural Short Leaf  
Acacia