

HARDWOOD

LINEAGE OAK 3"
Engineered



8011 Gunstock

	US Units	Metric Units
Style Number	SW785	
Construction	Engineered	
Species	Red Oak	
Nominal Overall Thickness	9/16"	14 mm
Nominal Width	3"	76.2 mm
Maximum Length	Random lengths up to 47.24"	Random lengths up to 119.98 cm
Finish	UV Aluminum Oxide	
Gloss Level	35%	
Surface Texture	Smooth	
Edge Description	Micro Bevel	
End Description	Mb	
Profile	Tongue And Groove	
Weight per Carton	49.93 lbs	22.64 kg
SQFT per Carton	24.86 sq ft	2.3 sq m
SQFT per Pallet	1193.28 sq ft	110.85 sq m
Installation Methods	Nail, Staple, Glue, Floating	
Installation Grade	Above, On, Below	
Variation	Moderate	
GREENGUARD® Certified	Yes	
Radiant Heat Approved	Yes	
Residential Warranty	50 Years	
Commercial Warranty	5 Year Commercial	
All measurements are nominal.	Cartons may include random lengths.	

Suggested Adhesive

Style Name	Style Number
35MC	HS105

Trim Pieces length: 78" (*Overlap Reducer and Overlap Stairnose are designed for floating installations only. These items are non-stocking - but are available through a quick-ship program. Delivery should take approximately 2 to 3 weeks.)



157FR
Flush Reducer



157OR
*Overlap Reducer



157FS
Flush Stairnose



157OS
*Overlap Stairnose



157TH
Threshold / Carpet
Reducer



157TM
T-Molding




157QR
Quarter Round

Trim images are for illustration purposes only. Actual dimensions will vary. Contact the Shaw Information Center for additional details: 800-441-7429.

LINEAGE OAK 3"

HARDWOOD

Colors



2080 Honey



7136 Saddle



8011 Gunstock