

## Belong Comfortworx® Tile

Stijlnummer	<b>C022W</b>	
Collectie	<b>Kindred</b>	
Producttype	<b>Tapijttegel</b>	
Construction	Standard	Data + Performance
Type Fabricage	<b>ISO 2424</b>	<b>tufted 1/10"   39.4 per 10cm</b>
Uitzicht	<b>ISO 2424</b>	<b>Multilevel-Patroonlus</b>
Verfmethode	<b>EN 994</b>	<b>100% In Oplossing Geverfd</b>
Productformaat	<b>EN 994</b>	<b>50 cm x 50 cm   16 tiles (4 m²) per box</b>
Primaire Backing	<b>ISO 2424</b>	<b>Pet Nonwoven</b>
Secundaire Backing	<b>ISO 2424</b>	<b>Comfortworx® Tegel   Matrix Padlaag Bevat 90% Gerecycleerd Materiaal</b>
Vezel	<b>ISO 2424</b>	<b>Ecosolution Q® Polyamide 6</b>
Totale Dikte	<b>ISO 1765</b>	<b>9.8 mm</b>
Afgewerkte Pooldikte	<b>ISO 1766</b>	<b>1.9 mm</b>
Totale Massa	<b>ISO 8543</b>	<b>3909 g/m²</b>
Getuft Gewicht	<b>ISO 2424</b>	<b>610 g/m²</b>
Effectieve Poolmassa	<b>ISO 8543</b>	<b>224 g/m²</b>
Pooldichtheid	<b>ISO 8543</b>	<b>0.114 g/cm³</b>
Totaal Gerecycleerde Inhoud		<b>57% (pre-consumer 45%   post-consumer 12%)</b>






### Gegevens

Steken	<b>ISO 1763</b>	<b>140,000/m²   35.4 per 10cm</b>
Elektrostatische Weerstand	<b>ISO 6356</b>	<b>≤ 2.0 kv (Stroll Test)</b>
Gebruik Classificatie	<b>EN 1307</b>	<b>33 Commercial Heavy</b>
Luxeklasse	<b>EN 1307</b>	<b>LC1</b>
Dimensionale Stabiliteit	<b>EN 986</b>	<b>≤ 0.2%</b>
Contactgeluidsisolatie	<b>ISO 10140</b>	<b>37db</b>
Geluidsabsorptieclassificatie	<b>ISO 354/11654</b>	<b>0.30 Aw   Class D</b>
Warmteweerstand m² K/w	<b>ISO 8302</b>	<b>0.153 M² K/W Tog 1.53</b>
Weerstand Tegen Droog Uitglijden	<b>ISO 13893</b>	<b>Pass / No Pulled Loops</b>
Kleurvastheid Voor Licht	<b>ISO 105-B02</b>	<b>&gt;6</b>
Ontvlambaarheid	<b>EN 13501-1</b>	<b>Bfl-S1 (Adhered Testing)</b>
Stoel Met Wielletjes	<b>EN 985</b>	<b>≥2.4 Continuous USE</b>

**15 Jaar Commercieel Beperkt** subject to installation in full accordance with the manufacturer's instructions and a regular effective cleaning and maintenance programme. Second location warranties are available with the use of non-adhesive IOBAC Magtabs and Tabit accessories.

### Aanbevolen Installatiemethode



## Coördinerende Producten

Carpet Tile: **Belong Taskworx® Hexagon Tile, Together Hexagon Taskworx® Tile, Dream Taskworx® Tile, Belong Taskworx® Tile, Memory Taskworx® Tile, Together Taskworx® Tile, Illusion Taskworx® Tile**

## Kenmerken + Certificeringen

Declaration of Performance

EU.DOP/2895/CPR/0820/1020/BT

Environmental Product Declaration (EPD)

**3de Partij Gecertificeerd in Overeenstemming Met ISO14044, ISO14025 & EN15804**

milieugarantie

**Take Back Policy Offered For All Comfortworx Products**

ISO 9001

**Gecertificeerd**

land van herkomst

**Verenigd Koninkrijk**

BREEAM Contribution Credit

**Certificate of Approval  
Schools/Offices/Health/Industrial Shed  
Retail**

## Well V2 Contribution Credit

X11 Langetermijn-emissiebeheersing - deel 2: Optimalisering van vloeren - 1 pt

**M1> Emissions Class For Building Material**

## Groen Leed Bijdragekrediet

"MR-krediet: openbaarmaking en optimalisering van bouwproducten  
Milieuproductverklaringen - Optie 1: Milieuproductverklaring (EPD)"**3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804**"MR-krediet: Openbaarmaking en optimalisering van bouwproducten  
Materiaal ingrediënten - Optie 1: Rapportage materiaal ingrediënten"**HPD ( Version 2.1 )**

## Air Quality

Indoor Air Comfort Gold

**Certified**

M1

**Certified**

## Memberships

WGBC Framework

**WGBC Framework**

UKGBC

**UKGBC**


Emirates Green Building Council

**Emirates Green Building Council**


Chemsec

**Chemsec**


## Available Colorways




Warmth 48111




Golden 48211




Comfort 48323




Greenery 48370




Solace 48485




Serene 48486




Blanket 48505




Hearten 48515



Greige 48516




Ponder 48530




Sense 48535




Rainstorm 48536




Slate 48557




Apricot 48675




Nestle 48760



Fire 48856



Rosewood 48870



Insight 48979

## Aanvullende Informatie

\*\*Manufactured in ISO 9001 certified facility. Meets or exceeds all local and national regulations in country of manufacture.

[Installation Guidelines](#)

15 jaar commercieel beperkt

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit [shawcontract.com/testing](https://shawcontract.com/testing) for more information.

