ShawContract®

Simple 3 X 6 Bullnose Glossy

PVC-Free

Style Number	**CT98J**
Composition	**Ceramic**
Tile Type	**Bullnose**
Body Type	**Glazed Ceramic**
Finish	**Gloss**
Nominal Dimensions	**3" x 6" | 7.62 cm x 15.24 cm**
Actual Dimensions	**2.75" x 6" | 6.98 cm x 15.24 cm**
Overall Thickness	**0.275" | 7 mm**
Edge Profile	**Cut**
Country Of Origin	**Turkey**
Installation Area	**Walls**
Retail Unit Of Measure	**Sold by the individual piece**



Packaging

Pieces per Carton	**49**
Area per Carton	**6.13 ft²**
Weight per Carton	**33.6 lbs**

Performance + Testing

Shade Variation	**V1**

Warranties

1 Year Commercial Limited Warranty

Available Colorways



100 White



300 Sage



400 Glacier

500 Warm Grey



550 Cement Chic

230 Douthit Ferry Road | Cartersville GA 30120 | USA | 1 800.257.7429 | shawcontract.com

For reference purposes only if printed or downloaded.

ShawContract®

Simple 3 X 6 Bullnose Glossy

Available Colorways



950 Carbon

Additional Information

Per ANSI A326.3, a DCOF of ≥ 0.42 is recommended for tiles in commercial applications. Tiles with a DCOF < 0.42 are not recommended for wet or slippery areas. Contaminants like water, oil, or grease can increase slip risk—use caution when selecting products for such environments. For approved Areas of Application, please reference the chart above. For more information, visit www.tcnatile.com.

Not for use on ramps.

Due to natural variation in ceramic and porcelain tile, final selection should be based on actual product samples.

Ceramic Porcelain Step by Step Installation
Maintenance Guidelines

For reference purposes only if printed or downloaded.